The Journal of Head Trauma Rehabilitation®

Cumulative Contents to Volume 14

14:1 February 1999
Posttraumatic Headache
Nathan D. Zasler, MD
Issue Editor

14:2 April 1999
Traumatic Brain Injury and Gait
Alberto Esquenazi, MD
Issue Editor

14:3 June 1999
Focus on Clinical Research and Practice, Part 1
Bruce Caplan, PhD
Associate Editor

14:4 August 1999
Neurobehavioral Issues in Pediatric Head Trauma
Jacobus Donders, PhD, ABPP
Issue Editor

14:5 October 1999
Dysphagia Management
Linda E. Mackay, MA, CCC-Sp/L
Issue Editor

14:6 December 1999
Focus on Clinical Research and Practice, Part 2
Bruce Caplan, PhD and M. Elizabeth Sandel, MD
Associate Editors

Author Index

A

Alverson C *See* Thurman DJ

Armengol CG: A multimodal support group with Hispanic traumatic brain injury survivors, 14(3):233

Ayton G *See* Ponsford J

B

Baguley IJ *See* Bryant RA; Gurka JA

Bang M-S *See* Kerrigan DC

Barba CA *See* Pepe JL

Barry P: *Neurologic Rehabilitation: A Guide to Diagnosis, Prognosis, and Treatment Planning*, by Mills VM, Cassidy JW, Katz DI (Book Review), 14(1):100

Bartkowski H *See* Yeates KO

Beers S *See* Goldstein G

Bell KR, Kraus EE, Zasler ND: Medical management of posttraumatic headaches: Pharmacological and physical treatment, 14(1):34

Bernstein BA *See* Mackay LE

Bérubé JE: The Wireless Communications and Public Safety Act of 1998, 14(1):85

Berwald C *See* Brown R

Bigler ED:

Neuroimaging in pediatric traumatic head injury: Diagnostic considerations and relationships to neurobehavioral outcome, 14(4):406

See also Yeates KO

Blaszczynski A *See* Simpson G

Bogner JA, Corrigan JD, Stange M, Rabold D: Reliability of the Agitated Behavior Scale, 14(1):91

Branca B *See* Lake AE III

Brown R, Pain K, Berwald C, Hirschi P, Delehanty R, Miller H: Distance education and caregiver support groups: Comparison of traditional and telephone groups, 14(3):257

Bryant RA, Marosszeky JE, Crooks J, Baguley IJ, Gurka JA: Interaction of posttraumatic stress disorder and chronic pain following traumatic brain injury, 14(6):588

Burgess ES, Drotar D, Taylor HG, Wade S, Stancin T, Yeates KO: The Family Burden of Injury Interview: Reliability and validity studies, 14(4):394

Burke DT:

Venous thrombosis in traumatic brain injury, 14(5):515

See also Kerrigan DC

C

Callahan CD, Hinkebein J: Neuropsychological significance of anosmia following traumatic brain injury, 14(6):581

Cameron P *See* Ponsford J

Caplan B: From the editor, 14(3):vi, 14(6):v

Carnevale GJ *See* Dirette DK

Carney N, Chesnut RM, Maynard H, Mann NC, Patterson P, Helfand M:

The authors respond, 14(3):322

Effect of cognitive rehabilitation on outcomes for persons with traumatic brain injury: A systematic review, 14(3):277

Carney N *See* Chesnut RM

Cassidy JW *See* Mills VM

Chapman EH, Weintraub RJ, Milburn MA, Pirozzi TO, Woo E: Homeopathic treatment of mild traumatic

The Journal of Head Trauma Rehabilitation®

Cumulative Contents to Volume 14

14:1 February 1999
Posttraumatic Headache
Nathan D. Zasler, MD
Issue Editor

14:2 April 1999
Traumatic Brain Injury and Gait
Alberto Esquenazi, MD
Issue Editor

14:3 June 1999
Focus on Clinical Research and Practice, Part 1
Bruce Caplan, PhD
Associate Editor

14:4 August 1999
Neurobehavioral Issues in Pediatric Head Trauma
Jacobus Donders, PhD, ABPP
Issue Editor

14:5 October 1999
Dysphagia Management
Linda E. Mackay, MA, CCC-Sp/L
Issue Editor

14:6 December 1999
Focus on Clinical Research and Practice, Part 2
Bruce Caplan, PhD and M. Elizabeth Sandel, MD
Associate Editors

Author Index

A

Alverson C *See* Thurman DJ

Armengol CG: A multimodal support group with Hispanic traumatic brain injury survivors, 14(3):233

Ayton G *See* Ponsford J

B

Baguley IJ *See* Bryant RA; Gurka JA

Bang M-S *See* Kerrigan DC

Barba CA *See* Pepe JL

Barry P: *Neurologic Rehabilitation: A Guide to Diagnosis, Prognosis, and Treatment Planning*, by Mills VM, Cassidy JW, Katz DI (Book Review), 14(1):100

Bartkowski H *See* Yeates KO

Beers S *See* Goldstein G

Bell KR, Kraus EE, Zasler ND: Medical management of posttraumatic headaches: Pharmacological and physical treatment, 14(1):34

Bernstein BA *See* Mackay LE

Bérubé JE: The Wireless Communications and Public Safety Act of 1998, 14(1):85

Berwald C *See* Brown R

Bigler ED:

Neuroimaging in pediatric traumatic head injury: Diagnostic considerations and relationships to neurobehavioral outcome, 14(4):406

See also Yeates KO

Blaszczynski A *See* Simpson G

Bogner JA, Corrigan JD, Stange M, Rabold D: Reliability of the Agitated Behavior Scale, 14(1):91

Branca B *See* Lake AE III

Brown R, Pain K, Berwald C, Hirschi P, Delehanty R, Miller H: Distance education and caregiver support groups: Comparison of traditional and telephone groups, 14(3):257

Bryant RA, Marosszeky JE, Crooks J, Baguley IJ, Gurka JA: Interaction of posttraumatic stress disorder and chronic pain following traumatic brain injury, 14(6):588

Burgess ES, Drotar D, Taylor HG, Wade S, Stancin T, Yeates KO: The Family Burden of Injury Interview: Reliability and validity studies, 14(4):394

Burke DT:

Venous thrombosis in traumatic brain injury, 14(5):515

See also Kerrigan DC

C

Callahan CD, Hinkebein J: Neuropsychological significance of anosmia following traumatic brain injury, 14(6):581

Cameron P *See* Ponsford J

Caplan B: From the editor, 14(3):vi, 14(6):v

Carnevale GJ *See* Dirette DK

Carney N, Chesnut RM, Maynard H, Mann NC, Patterson P, Helfand M:

The authors respond, 14(3):322

Effect of cognitive rehabilitation on outcomes for persons with traumatic brain injury: A systematic review, 14(3):277

Carney N *See* Chesnut RM

Cassidy JW *See* Mills VM

Chapman EH, Weintraub RJ, Milburn MA, Pirozzi TO, Woo E: Homeopathic treatment of mild traumatic

brain injury: A randomized, double-blind, placebo-controlled clinical trial, 14(6):521

Cherney LR *See* Halper AS

Chesnut RM, Carney N, Maynard H, Mann NC, Patterson P, Helfand M: Summary report: Evidence for the effectiveness of rehabilitation for persons with traumatic brain injury, 14(2):176

Chesnut RM *See* Carney N

Cicerone KD: Commentary: The validity of cognitive rehabilitation, 14(3):316

Cichowski K *See* Halper AS

Cifu DX *See* Johns JS; Wagner RH

Corrigan JD *See* Bogner JA

Cox DR: *Detection of Malingering during Head Injury Litigation*, by Reynolds CR (Book Review), 14(5):510

Crooks J *See* Bryant RA; Gurka JA

Curran C *See* Ponsford J

D

Deb S, Lyons L, Koutzoukis I, McCarthy A, McCarthy G: Rate of psychiatric illness 1 year after traumatic brain injury (Abstract by Herman CD), 14(5):520

Delehanty R *See* Brown R

Dirette DK, Hinojosa J, Carnevale GJ: Comparison of remedial and compensatory interventions for adults with acquired brain injuries, 14(6):595

Dobrzykowski E: Essential Readings in Rehabilitation Outcomes Measurement (Book Review by Hansen NKS), 14(4):428

Donders J:

Neurobehavioral issues in pediatric head trauma (Preface), 14(4):v

See also Woodward H

Drotar D *See* Burgess ES

Dunn KA *See* Thurman DJ

Durand A *See* Paniak C

E

Esquenazi A:

Traumatic brain injury and gait (Preface), 14(2):v

See also Keenan MAE; Ochi F

F

Feeney TJ *See* Ylvisaker M

Felmingham KL *See* Gurka JA

Fratkin MJ *See* Johns JS

G

Goldstein G, Beers S: *Human Brain Function: Assessment and Rehabilitation* (Book Review by Johnson-Greene D), 14(5):508

Gormley ME Jr:

Management of spasticity in children: Part 1: Chemical denervation, 14(1):97

Management of spasticity in children: Part 2: Oral medications and intrathecal baclofen, 14(2):207

Grayson RL *See* Martelli MF

Guenther RT: *The Behavior Management Handbook: A Practical Approach to Patients with Neurological Disorders*, by Matthies BK, Kreutzer JS, West DD (Book Review), 14(5):512

Guerrero J *See* Thurman DJ

Gurka JA, Felmingham KL, Baguley IJ, Schotte DE, Crooks J, Marosszeky JE: Utility of the Functional Assessment Measure after discharge from inpatient rehabilitation, 14(3):247

Gurka JA *See* Bryant RA

H

Hackbarth R *See* Woodward H

Halper AS, Cherney LR, Cichowski K, Zhang M: Dysphagia after head trauma: The effect of cognitive-communicative impairments on functional outcomes, 14(5):486

Hansen NKS: *Essential Readings in Rehabilitation Outcomes Measurement*, by Dobrzykowski E (Book Review), 14(4):428

Haper J *See* Johnstone B

Helfand M *See* Carney N; Chesnut RM

Herman CD: Rate of psychiatric illness 1 year after traumatic brain injury, by Deb S, Lyons L, Koutzoukis I, McCarthy A, McCarthy G (Abstract), 14(5):520

Herman RM *See* Seif-Naraghi AH

Hill BA *See* Stoler DR

Hinkebein J *See* Callahan CD

Hinojosa J *See* Dirette DK

Hirai B *See* Ochi F

Hirschi P *See* Brown R

Hobbs A: Mapping variation in brain structure and function: Implications for rehabilitation, 14(6):616

Hodgkinson A *See* Simpson G; Tate R

Holm SE *See* Hoppers P

Hoppers P, Holm SE: The role of fiberoptic endoscopy in dysphagia rehabilitation, 14(5):475

Horn LJ *See* Zafonte RD

Hostler SL: Pediatric family-centered rehabilitation, 14(4):384

J

Johns JS, Cifu DX, Keyser-Marcus L, Jolles PR, Fratkin MJ: Impact of clinically significant heterotopic ossification on functional outcome after traumatic brain injury, 14(3):269

Johnson-Greene D: *Human Brain Function: Assessment and Rehabilitation*, by Goldstein G, Beers S (Book Review), 14(5):508

Johnstone B, Schopp LH, Harper J, Koscuilek J: Neuropsychological impairments, vocational outcomes, and financial costs for individuals with

traumatic brain injury receiving state vocational rehabilitation services, 14(3):220

Jolles PR *See* Johns JS

K

Katz DI *See* Mills VM

Kay J *See* Warschausky S

Keenan MAE, Lee GA, Tuckman AS, Esquenazi A: Improving calf muscle strength in patients with spastic equinovarus deformity by transfer of the long toe flexors to the os calcis, 14(2):163

Kerrigan DC, Bang M-S, Burke DT: An algorithm to assess stiff-legged gait in traumatic brain injury, 14(2):136

Kewman D *See* Warschausky S

Keyser-Marcus L *See* Johns JS; Wagner RH

Koscuilek J *See* Johnstone B

Koutzoukis I *See* Deb S

Kraus EE *See* Bell KR

Kreutzer JS:

Commentary: Cognitive rehabilitation outcomes, 14(3):312

See also Matthies BK

Kuldanek A *See* Woodward H

L

Laatsch L: *Coping with Mild Traumatic Brain Injury*, by Stoler DR, Hill BA (Book Review), 14(3):334

Lake AE III, Branca B, Lutz TE, Saper JR: Headache level during neuropsychological testing and test performance in patients with chronic posttraumatic headache, 14(1):70

Leder SB: Fiberoptic endoscopic evaluation of swallowing in patients with acute traumatic brain injury, 14(5):448

Lee GA *See* Keenan MAE

Luria J *See* Yeates KO

Lutz TE *See* Lake AE III

Lynch WJ: Computerized assessment software update 1999, 14(3):325

Lyons L *See* Deb S

M

Mackay LE:

Dedication to Dr. Catherine Bontke, 14(5):ix

Dysphagia management (Preface), 14(5):vi

See also Morgan AS

Mackay LE, Morgan AS, Bernstein BA: Factors affecting oral feeding with severe traumatic brain injury, 14(5):435

Maggiotto S *See* Tate R

Mann NC *See* Carney N; Chesnut RM

Marosszeky JE *See* Bryant RA; Gurka JA

Martelli MF, Grayson RL, Zasler ND: Posttraumatic headache: Neuropsychological and psychological effects and treatment implications, 14(1):49

Martin L *See* Yeates KO

Matthies BK, Kreutzer JS, West DD: *The Behavior Management Handbook: A Practical Approach to Patients with Neurological Disorders* (Book Review by Guenther RT), 14(5):512

Mayer NH:

Diary of a mad editor, 14(5):vii

From the editor, 14(1):v

Maynard H *See* Carney N; Chesnut RM

McCarthy A *See* Deb S

McCarthy G *See* Deb S

Milburn MA *See* Chapman EH

Miller H *See* Brown R

Mills VM, Cassidy JW, Katz DI: *Neurologic Rehabilitation: A Guide to Diagnosis, Prognosis, and Treatment Planning* (Book Review by Barry P), 14(1):100

Morgan AS *See* Mackay LE

Morgan AS, Mackay LE: Causes and complications associated with swallowing disorders in traumatic brain injury, 14(5):454

N

Nagy J *See* Paniak C

Nelms R *See* Ponsford J

Ng KT *See* Ponsford J

O

Ochi F, Esquenazi A, Hirai B, Talaty M: Temporal-spatial feature of gait after traumatic brain injury, 14(2):105

P

Packard RC: Epidemiology and pathogenesis of posttraumatic headache, 14(1):9

Pain K *See* Brown R

Paniak C, Phillips K, Toller-Lobe, G, Durand A, Nagy J: Sensitivity of three recent questionnaires to mild traumatic brain injury-related effects, 14(3):211

Patterson P *See* Carney N; Chesnut RM

Pepe JL, Barba CA: The metabolic response to acute traumatic brain injury and implications for nutritional support, 14(5):462

Perry J: The use of gait analysis for surgical recommendations in traumatic brain injury, 14(2):116

Phillips K *See* Paniak C

Phipps EJ:

A view from the inside: *The Diving Bell and the Butterfly*, 14(1):89

See also True G

Phipps EJ, Allman R: Rehabilitation: A luxury?, 14(3):329

Pirozzi TO *See* Chapman EH

Ponsford J, Willmott C, Rothwell A, Cameron P, Ayton G, Nelms R, Curran C, Ng KT: Cognitive and behavioral

outcome following mild traumatic head injury in children, 14(4):360

Prigatano GP: Commentary: Beyond statistics and research design, 14(3):308

R

Rabold D *See* Bogner JA

Reynolds CR: *Detection of Malingering during Head Injury Litigation* (Book Review by Cox DR), 14(5):510

Rothwell A *See* Ponsford J

Rowe LA: Case studies in dysphagia after pediatric brain injury, 14(5):497

Rusin J *See* Yeates KO

S

Sandel ME: From the editor, 14(6):v

Sanfilippo D *See* Woodward H

Saper JR *See* Lake AE III

Schopp LH *See* Johnstone B

Schotte DE *See* Gurka JA

Seif-Naraghi AH, Herman RM: A novel method for locomotion training, 14(2):146

Simpson G, Blaszczynski A, Hodgkinson A: Sex offending as a psychosocial sequela of traumatic brain injury, 14(6):567

Sniezek JE *See* Thurman DJ

Stancin T *See* Burgess ES

Stange M *See* Bogner JA

Stoler DR, Hill BA: *Coping with Mild Traumatic Brain Injury* (Book Review by Laatsch L), 14(3):334

T

Talaty M *See* Ochi F

Tate R, Hodgkinson A, Veerabangsa A, Maggiotto S: Measuring psychosocial recovery after traumatic brain injury: Psychometric properties of a new scale, 14(6):543

Taylor HG *See* Burgess ES

Thurman DJ, Alverson C, Dunn KA, Guerrero J, Sniezek JE: Traumatic brain injury in the United States: A public health perspective, 14(6):602

Toller-Lobe G *See* Paniak C

True G, Phipps EJ: Narratives in rehabilitation, 14(5):505

Tuckman AS *See* Keenan MAE

V

Veerabangsa A *See* Tate R

W

Wade S *See* Burgess ES

Wagner RH, Cifu DX, Keyser-Marcus L: Functional outcome of individuals with traumatic brain injury and lower extremity deep venous thrombosis, 14(6):558

Warschausky S, Kewman D, Kay J: Empirically supported psychological and behavioral therapies in pediatric rehabilitation of TBI, 14(4):373

Weintraub RJ *See* Chapman EH

West DD *See* Matthies BK

Whitlock JA Jr: Brain injury, cognitive impairment, and donepezil, 14(4):424

Willmott C *See* Ponsford J

Willmuth ME: *Collaborative Brain Injury Intervention: Positive Everyday Routines*, by Ylvisaker M, Feeney TJ (Book Review), 14(4):432

Winslade WJ: *Confronting Traumatic Brain Injury: Devastation, Hope, and Healing* (Book Review by Young ME), 14(3):332

Winterhalther K *See* Woodward H

Woodward H, Winterhalther K, Donders J, Hackbarth R, Kuldanek A, Sanfilippo D: Prediction of neurobehavioral outcome 1–5 years post pediatric traumatic head injury, 14(4):351

Woo E *See* Chapman EH

Y

Yeates KO *See* Burgess ES

Yeates KO, Luria J, Bartkowski H, Rusin J, Martin L, Bigler ED: Postconcussive symptoms in children with mild closed head injury, 14(4):337

Ylvisaker M, Feeney TJ: *Collaborative Brain Injury Intervention: Positive Everyday Routines* (Book Review by Willmuth ME), 14(4):432

Young ME: *Confronting Traumatic Brain Injury: Devastation, Hope, and Healing*, by Winslade WJ (Book Review), 14(3):332

Z

Zafonte RD, Horn LJ: Clinical assessment of posttraumatic headaches, 14(1):22

Zasler ND:

Posttraumatic headache: Caveats and controversies, 14(1):1

Posttraumatic headache (Preface), 14(1):vii

Posttraumatic tension pneumocephalus, 14(1):81

See also Bell KR; Martelli MF

Zhang M *See* Halper AS

Subject Index

A

Abstracts

Rate of psychiatric illness 1 year after traumatic brain injury, Deb S, Lyons I, Koutzoukis I, McCarthy A, McCarthy G (abstracted by Herman CD), 14(5):520

Agitation

Reliability of the Agitated Behavior Scale, Bogner JA, Corrigan JD, Stange M, Rabold D, 14(1):91

Ambulation

A novel method for locomotion training, Seif-Naraghi AH, Herman RM, 14(2):146

An algorithm to assess stiff-legged gait in traumatic brain injury, Kerrigan DC, Bank M-S, Burke DT, 14(2):136

Improving calf muscle strength in patients with spastic equinovarus deformity by transfer of the long toe flexors to the os calcis, Keenan MAE, Lee GA, Tuckman AS, Esquenazi A, 14(2):163

Temporal-spatial feature of gait after traumatic brain injury, Ochi F, Esquenazi A, Hirai B, Talaty M, 14(2):105

The use of gait analysis for surgical recommendations in traumatic brain injury, Perry J, 14(2):116

Analgesics

Medical management of posttraumatic headaches: Pharmacological and physical treatment, Bell KR, Kraus EE, Zasler ND, 14(1):34

Anosmia

Neuropsychological significance of anosmia following traumatic brain injury, Callahan CD, Hinkebein J, 14(6):581

Anticoagulants

Venous thrombosis in traumatic brain injury, Burke DT, 14(5):515

Anticonvulsants

Medical management of posttraumatic headaches: Pharmacological and physical treatment, Bell KR, Kraus EE, Zasler ND, 14(1):34

Antidepressants

Medical management of posttraumatic headaches: Pharmacological and physical treatment, Bell KR, Kraus EE, Zasler ND, 14(1):34

Aspiration

Causes and complications associated with swallowing disorders in traumatic brain injury, Morgan AS, Mackay LE, 14(5):454

Factors affecting oral feeding with severe traumatic brain injury, Mackay LE, Morgan AS, Bernstein BA, 14(5):435

Fiberoptic endoscopic evaluation of swallowing in patients with acute traumatic brain injury, Leder SB, 14(5):448

Assessment instruments

Computerized assessment software update 1999, Lynch WJ, 14(3):325

Headache level during neuropsychological testing and test performance in patients with chronic posttraumatic headache, Lake AE III, Branca B, Lutz TE, Saper JR, 14(1):70

Measuring psychosocial recovery after traumatic brain injury: Psychometric properties of a new scale, Tate R, Hodgkinson A, Veerabangsa A, Maggiotto S, 14(6):543

Reliability of the Agitated Behavior Scale, Bogner JA, Corrigan JD, Stange M, Rabold D, 14(1):91

Sensitivity of three recent questionnaires to mild traumatic brain injury-related effects, Paniak C, Phillips K, Toller-Lobe G, Durand A, Nagy J, 14(3):211

The Family Burden of Injury Interview: Reliability and validity studies, 14(4):394

Utility of the Functional Assessment Measure after discharge from inpatient rehabilitation, Gurka JA, Felmingham KL, Baguley IJ, Schotte DE, Crooks J, Marosszeky JE, 14(3):247

Attention

Headache level during neuropsychological testing and test performance in patients with chronic posttraumatic headache, Lake AE III, Branca B, Lutz TE, Saper JR, 14(1):70

B

Baclofen

Management of spasticity in children: Part 2: Oral medications and intrathecal baclofen, Gormley ME Jr, 14(2):207

Behavior

Cognitive and behavioral outcome following mild traumatic head injury in children, Ponsford J, Willmott C, Rothwell A, Cameron P, Ayton G, Nelms R, Curran C, Ng KT, 14(4):360

Empirically supported psychological and behavioral therapies in pediatric rehabilitation of TBI, Warschausky S, Kewman D, Kay J, 14(4):373

Neuroimaging in pediatric traumatic head injury: Diagnostic considerations and relationships to neurobehavioral outcome, Bigler ED, 14(4):406

Postconcussive symptoms in children with mild closed head injuries, Yeates KO; Luria J, Bartkowski H, Rusin J, Martin L, Bigler ED, 14(4):337

Prediction of neurobehavioral outcome 1–5 years post pediatric traumatic head injury, Woodward H, Winterhalther K, Donders J, Hackbarth R, Kuldanek A, Sanfilippo D, 14(4):351

Reliability of the Agitated Behavior Scale, Bogner JA, Corrigan JD, Stange M, Rabold D, 14(1):91

Sex offending as a psychosocial sequela of traumatic brain injury, Simpson G, Blaszczynski A, Hodgkinson A, 14(6):567

Beta-adrenergic blocking agents

Medical management of posttraumatic headaches: Pharmacological and physical treatment, Bell KR, Kraus EE, Zasler ND, 14(1):34

Biodynamics *See also* Gait

An algorithm to assess stiff-legged gait in traumatic brain injury, Kerrigan DC, Bank M-S, Burke DT, 14(2):136

The use of gait analysis for surgical recommendations in traumatic brain injury, Perry J, 14(2):116

Biofeedback

Posttraumatic headache: Neuropsychological and psychological effects and treatment implications, Martelli MF, Grayson RL, Zasler ND, 14(1):49

Book reviews

Collaborative Brain Injury Intervention: Positive Everyday Routines, Ylvisaker M, Feeney TJ (reviewed by Willmuth ME), 14(4):432

Confronting Traumaic Brain Injury: Devastation, Hope, and Healing, Winslade WJ (reviewed by Young ME), 14(3):332

Coping with Mild Traumatic Brain Injury, Stoler DR, Hill BA (reviewed by Laatsch L), 14(3):334

Detection of Malingering during Head Injury Litigation, Reynolds CR (reviewed by Cox DR), 14(5):510

Essential Readings in Rehabilitation Outcomes Measurement, Dobrzykowski E (reviewed by Hansen NKS), 14(4):428

Human Brain Function: Assessment and Rehabilitation, Goldstein G, Beers S (reviewed by Johnson-Greene D), 14(5):508

Neurologic Rehabilitation: A Guide to Diagnosis, Prognosis, and Treatment Planning, Mills VM, Cassidy JW, Katz DI (reviewed by Barry P), 14(1):100

The Behavior Management Handbook: A Practical Approach to Patients with Neurological Disorders, Matthies BK, Kruetzer JS, West DD (reviewed by Guenther RT), 14(5):512

Botulinum toxin

Management of spasticity in children: Part 1: Chemical denervation, Gormley ME Jr, 14(1):97

Brain mapping

Mapping variation in brain structure and function: Implications for rehabilitation, Hobbs A, 14(6):616

C

Calcium channel blocking agents

Medical management of posttraumatic headaches: Pharmacological and physical treatment, Bell KR, Kraus EE, Zasler ND, 14(1):34

Caregivers

Distance education and caregiver support groups: Comparison of traditional and telephone groups, Brown R, Pain K, Berwald C, Hirschi P, Delehanty R, Miller H, 14(3):257

Pediatric family-centered rehabilitation, Hostler SL, 14(4):384

The Family Burden of Injury Interview: Reliability and validity studies, 14(4):394

Carolinas TBI Rehabilitation and Research System, 14(2):195

Catabolism

The metabolic response to acute traumatic brain injury and implications for nutritional support, Pepe JL, Barba CA, 14(5):462

Cerebral perfusion pressure

Prediction of neurobehavioral outcome 1–5 years post pediatric traumatic head injury, Woodward H, Winterhalther K, Donders J, Hackbarth R, Kuldanek A, Sanfilippo D, 14(4):351

Chemical denervation

Management of spasticity in children: Part 1: Chemical denervation, Gormley ME Jr, 14(1):97

Chemosensory systems

Neuropsychological significance of anosmia following traumatic brain injury, Callahan CD, Hinkebein J, 14(6):581

Children *See* Pediatric head injury

Clinical evaluation *See also* Assessment instruments

Clinical assessment of posttraumatic headaches, Zafonte RD, Horn LJ, 14(1):22

Clinical research and practice

A multimodal support group with Hispanic traumatic brain injury survivors, Armengol, CG, 14(3):233

Comparison of remedial and compensatory interventions for adults with acquired brain injuries, Dirette DK, Hinojosa J, Carnevale GJ, 14(6):595

Distance education and caregiver support groups: Comparison of traditional and telephone groups, Brown R, Pain K, Berwald C, Hirschi P, Delehanty R, Miller H, 14(3):257

Effect of cognitive rehabilitation on outcomes for persons with traumatic brain injury: A systematic review, Carney N, Chesnut RM, Maynard H, Mann NC, Patterson P, Helfand M, 14(3):277, 322

Functional outcome of individuals with traumatic brain injury and lower extremity deep venous thrombosis, Wagner RH, Cifu DX, Keyser-Marcus L, 14(6):558

Homeopathic treatment of mild traumatic brain injury: A randomized, double-blind, placebo-controlled clinical trial, Chapman EH, Weintraub RJ, Milburn MA, Pirozzi TO, Woo E, 14(6):521

Impact of clinically significant heterotopic ossification on functional outcome after traumatic brain injury, Johns JS, Cifu DX, Keyser-Marcus L, Jolles PR, Fratkin MJ, 14(3):269

Interaction of posttraumatic stress disorder and chronic pain following traumatic brain injury, Bryant RA, Marosszeky JE, Crooks J, Baguley IJ, Gurka JA, 14(6):588

Measuring psychosocial recovery after traumatic brain injury: Psychometric properties of a new scale, Tate R, Hodgkinson A, Veerabangsa A, Maggiotto S, 14(6):543

Neuropsychological impairments, vocational outcomes, and financial costs for individuals with traumatic brain injury receiving state vocational rehabilitation services, Johnstone B, Schopp LH, Harper J, Koscuilek, J, 14(3):220

Neuropsychological significance of anosmia following traumatic brain injury, Callahan CD, Hinkebein J, 14(6):581

Reliability of the Agitated Behavior Scale, Bogner JA, Corrigan JD, Stange M, Rabold D, 14(1):91

Sensitivity of three recent questionnaires to mild traumatic brain injury-related effects, Paniak C, Phillips K, Toller-Lobe G, Durand A, Nagy J, 14(3):211

Sex offending as a psychosocial sequela of traumatic brain injury, Simpson G, Blaszczynski A, Hodgkinson A, 14(6):567

Utility of the Functional Assessment Measure after discharge from inpatient rehabilitation, Gurka JA, Felmingham KL, Baguley IJ, Schotte DE, Crooks J, Marosszeky JE, 14(3):247

Cognitive impairment ***See also*** **Neurobehavioral outcome**

Brain injury, cognitive impairment, and donepezil, Whitlock JA Jr, 14(4):424

Cognitive and behavioral outcome following mild traumatic head injury in children, Ponsford J, Willmott C, Rothwell A, Cameron P, Ayton G, Nelms R, Curran C, Ng KT, 14(4):360

Dysphagia after head trauma: The effect of cognitive-communicative impairments on functional outcomes, Halper AS, Cherney LR, Cichowski K, Zhang M, 14(5):486

Cognitive rehabilitation

Commentary: Beyond statistics and research design, Prigatano GP, 14(3):308

Commentary: Cognitive rehabilitation outcomes, Kreutzer JS, 14(3):312

Commentary: The validity of cognitive rehabilitation, Cicerone KD, 14(3):316

Comparison of remedial and compensatory interventions for adults with acquired brain injuries, Dirette DK, Hinojosa J, Carnevale GJ, 14(6):595

Effect of cognitive rehabilitation on outcomes for persons with traumatic brain injury: A systematic review, Carney N, Chesnut RM, Maynard H, Mann NC, Patterson P, Helfand M, 14(3):277, 322

Posttraumatic headache: Neuropsychological and psychological effects and treatment implications, Martelli MF, Grayson RL, Zasler ND, 14(1):49

Summary report: Evidence for the effectiveness of rehabilitation for persons with traumatic brain injury, Chesnut RM, Carney N, Maynard H, Mann NC, Patterson P, Helfand M, 14(2):176

Colorado Assessment Tests

Computerized assessment software update 1999, Lynch WJ, 14(3):325

Communication

Dysphagia after head trauma: The effect of cognitive-communicative impairments on functional outcomes, Halper AS, Cherney LR, Cichowski K, Zhang M, 14(5):486

The Wireless Communications and Public Safety Act of 1998, Bérubé JE, 14(1):85

Community Integration Questionnaire

Sensitivity of three recent questionnaires to mild traumatic brain injury-related effects, Paniak C, Phillips K, Toller-Lobe G, Durand A, Nagy J, 14(3):211

Computed tomography

Neuroimaging in pediatric traumatic head injury: Diagnostic considerations and relationships to neurobehavioral outcome, Bigler ED, 14(4):406

Computers

Computerized assessment software update 1999, Lynch WJ, 14(3):325

Concentration

Headache level during neuropsychological testing and test performance in patients with chronic posttraumatic headache, Lake AE III, Branca B, Lutz TE, Saper JR, 14(1):70

Concussion

Postconcussive symptoms in children with mild closed head injuries, Yeates KO, Luria J, Bartkowski H, Rusin J, Martin L, Bigler ED, 14(4):337

Posttraumatic headache: Caveats and controversies, Zasler ND, 14(1):1

Coping

A multimodal support group with Hispanic traumatic brain injury survivors, Armengol, CG, 14(3):233

Distance education and caregiver support groups: Comparison of traditional and telephone groups, Brown R, Pain K, Berwald C, Hirschi P, Delehanty R, Miller H, 14(3):257

Interaction of posttraumatic stress disorder and chronic pain following traumatic brain injury, Bryant RA, Marosszeky JE, Crooks J, baguley IJ, Gurka JA, 14(6):588

The Family Burden of Injury Interview: Reliability and validity studies, 14(4):394

Cultural sensitivity

A multimodal support group with Hispanic traumatic brain injury survivors, Armengol, CG, 14(3):233

D

Dantrolene

Management of spasticity in children: Part 2: Oral medications and intrathecal baclofen, Gormley ME Jr, 14(2):207

Deep venous thrombosis

Functional outcome of individuals with traumatic brain injury and lower extremity deep venous thrombosis, Wagner RH, Cifu DX, Keyser-Marcus L, 14(6):558

Venous thrombosis in traumatic brain injury, Burke DT, 14(5):515

Dementia

Reliability of the Agitated Behavior Scale, Bogner JA, Corrigan JD, Stange M, Rabold D, 14(1):91

Diagnosis

Neuroimaging in pediatric traumatic head injury: Diagnostic considerations and relationships to neurobehavioral outcome, Bigler ED, 14(4):406

Diazepam

Management of spasticity in children: Part 2: Oral medications and intrathecal baclofen, Gormley ME Jr, 14(2):207

District of Columbia TBI Planning Project, 14(2):201

Donepezil

Brain injury, cognitive impairment, and donepezil, Whitlock JA Jr, 14(4):424

Dynamic electromyography

An algorithm to assess stiff-legged gait in traumatic brain injury, Kerrigan DC, Bank M-S, Burke DT, 14(2):136

The use of gait analysis for surgical recommendations in traumatic brain injury, Perry J, 14(2):116

Dysphagia management

Case studies in dysphagia after pediatric brain injury, Rowe LA, 14(5):497

Causes and complications associated with swallowing disorders in traumatic brain injury, Morgan AS, Mackay LE, 14(5):454

Dysphagia after head trauma: The effect of cognitive-communicative impairments on functional outcomes, Halper AS, Cherney LR, Cichowski K, Zhang M, 14(5):486

Factors affecting oral feeding with severe traumatic brain injury, Mackay LE, Morgan AS, Bernstein BA, 14(5):435

Fiberoptic endoscopic evaluation of swallowing in patients with acute traumatic brain injury, Leder SB, 14(5):448

The role of fiberoptic endoscopy in dysphagia rehabilitation, Hoppers P, Holm SE, 14(5):475

E

Emergency response

The Wireless Communications and Public Safety Act of 1998, Bérubé JE, 14(1):85

Epidemiology

Clinical assessment of posttraumatic headaches, Zafonte RD, Horn LJ, 14(1):22

Epidemiology and pathogenesis of posttraumatic headache, Packard RC, 14(1):9

Traumatic brain injury in the United States: A public health perspective, Thurman DJ, Alverson C, Dunn KA, Guerrero J, Sniezek JE, 14(6):602

Equinovarus deformity

Improving calf muscle strength in patients with spastic equinovarus deformity by transfer of the long toe flexors to the os calcis, Keenan MAE, Lee GA, Tuckman AS, Esquenazi A, 14(2):163

Ethical issues

A view from the inside: *The Diving Bell and the Butterfly*, Phipps E, 14(1):89

Narratives in rehabilitation, True G, Phipps EJ, 14(5):505

Rehabilitation: A luxury?, Phipps EJ, Allman R, 14(3):329

Evidence-based medicine

Effect of cognitive rehabilitation on outcomes for persons with traumatic brain injury: A systematic review, Carney N, Chesnut RM, Maynard H, Mann NC, Patterson P, Helfand M, 14(3):277, 322

F

Family

Distance education and caregiver support groups: Comparison of traditional and telephone groups, Brown R, Pain K, Berwald C, Hirschi P, Delehanty R, Miller H, 14(3):257

Pediatric family-centered rehabilitation, Hostler SL, 14(4):384

The Family Burden of Injury Interview: Reliability and validity studies, 14(4):394

Feeding

Factors affecting oral feeding with severe traumatic brain injury, Mackay LE, Morgan AS, Bernstein BA, 14(5):435

The metabolic response to acute traumatic brain injury and implications for nutritional support, Pepe JL, Barba CA, 14(5):462

Fiberoptic endoscopy

Fiberoptic endoscopic evaluation of swallowing in patients with acute traumatic brain injury, Leder SB, 14(5):448

The role of fiberoptic endoscopy in dysphagia rehabilitation, Hoppers P, Holm SE, 14(5):475

Financial costs

Neuropsychological impairments, vocational outcomes, and financial costs for individuals with

traumatic brain injury receiving state vocational rehabilitation services, Johnstone B, Schopp LH, Harper J, Koscuilek J, 14(3):220

Functional outcome

Dysphagia after head trauma: The effect of cognitive-communicative impairments on functional outcomes, Halper AS, Cherney LR, Cichowski K, Zhang M, 14(5):486

Functional outcome of individuals with traumatic brain injury and lower extremity deep venous thrombosis, Wagner RH, Cifu DX, Keyser-Marcus L, 14(6):558

Impact of clinically significant heterotopic ossification on functional outcome after traumatic brain injury, Johns JS, Cifu DX, Keyser-Marcus L, Jolles PR, Fratkin MJ, 14(3):269

Neuropsychological significance of anosmia following traumatic brain injury, Callahan CD, Hinkebein J, 14(6):581

Utility of the Functional Assessment Measure after discharge from inpatient rehabilitation, Gurka JA, Felmingham KL, Baguley IJ, Schotte DE, Crooks J, Marosszeky JE, 14(3):247

G

Gait

A novel method for locomotion training, Seif-Naraghi AH, Herman RM, 14(2):146

An algorithm to assess stiff-legged gait in traumatic brain injury, Kerrigan DC, Bank M-S, Burke DT, 14(2):136

Improving calf muscle strength in patients with spastic equinovarus deformity by transfer of the long toe flexors to the os calcis, Keenan MAE, Lee GA, Tuckman AS, Esquenazi A, 14(2):163

Temporal-spatial feature of gait after traumatic brain injury, Ochi F, Esquenazi A, Hirai B, Talaty M, 14(2):105

The use of gait analysis for surgical recommendations in traumatic brain injury, Perry J, 14(2):116

Georgia Model Brain Injury System (GAMBIS), 14(2):190

Georgia TBI Implementation Project, 14(2):202

H

Headache *See* Posttraumatic headache

Heparin

Venous thrombosis in traumatic brain injury, Burke DT, 14(5):515

Heterotopic ossification

Impact of clinically significant heterotopic ossification on functional outcome after traumatic brain injury, Johns JS, Cifu DX, Keyser-Marcus L, Jolles PR, Fratkin MJ, 14(3):269

Homeopathy

Homeopathic treatment of mild traumatic brain injury: A randomized, double-blind, placebo-controlled clinical trial, Chapman EH, Weintraub RJ, Milburn MA, Pirozzi TO, Woo E, 14(6):521

Human Brain Project

Mapping variation in brain structure and function: Implications for rehabilitation, Hobbs A, 14(6):616

Hypermetabolism

The metabolic response to acute traumatic brain injury and implications for nutritional support, Pepe JL, Barba CA, 14(5):462

I

Immunosuppression

The metabolic response to acute traumatic brain injury and implications for nutritional support, Pepe JL, Barba CA, 14(5):462

International Consortium for Brain Mapping

Mapping variation in brain structure and function: Implications for rehabilitation, Hobbs A, 14(6):616

Interventions *See also* Rehabilitation

Brain injury, cognitive impairment, and donepezil, Whitlock JA Jr, 14(4):424

Comparison of remedial and compensatory interventions for adults with acquired brain injuries, Dirette DK, Hinojosa J, Carnevale GJ, 14(6):595

Empirically supported psychological and behavioral therapies in pediatric rehabilitation of TBI, Warschausky S, Kewman D, Kay J, 14(4):373

Homeopathic treatment of mild traumatic brain injury: A randomized, double-blind, placebo-controlled clinical trial, Chapman EH, Weintraub RJ, Milburn MA, Pirozzi TO, Woo E, 14(6):521

Management of spasticity in children: Part 1: Chemical denervation, Gormley ME Jr, 14(1):97

Management of spasticity in children: Part 2: Oral medications and intrathecal baclofen, Gormley ME Jr, 14(2):207

Medical management of posttraumatic headaches: Pharmacological and physical treatment, Bell KR, Kraus EE, Zasler ND, 14(1):34

Posttraumatic headache: Neuropsychological and psychological effects and treatment implications, Martelli MF, Grayson RL, Zasler ND, 14(1):49

Venous thrombosis in traumatic brain injury, Burke DT, 14(5):515

Iowa TBI Implementation Project, 14(2):202

K

Kinematics and kinetics

An algorithm to assess stiff-legged gait in traumatic brain injury, Kerrigan DC, Bank M-S, Burke DT, 14(2):136

The use of gait analysis for surgical recommendations in traumatic brain injury, Perry J, 14(2):116

L

Language

Headache level during neuropsychological testing and test performance in patients with chronic posttraumatic headache, Lake AE III, Branca B, Lutz TE, Saper JR, 14(1):70

Long-term care coordination

Summary report: Evidence for the effectiveness of rehabilitation for persons with traumatic brain injury, Chesnut RM, Carney N, Maynard H, Mann NC, Patterson P, Helfand M, 14(2):176

M

Magnetic resonance imaging

Neuroimaging in pediatric traumatic head injury: Diagnostic considerations and relationships to neurobehavioral outcome, Bigler ED, 14(4):406

Magnetic resonance spectroscopy

Neuroimaging in pediatric traumatic head injury: Diagnostic considerations and relationships to neurobehavioral outcome, Bigler ED, 14(4):406

Magnetoencephalography

Neuroimaging in pediatric traumatic head injury: Diagnostic considerations and relationships to neurobehavioral outcome, Bigler ED, 14(4):406

Maryland TBI Implementation Project, 14(2):203

Mayo Foundation TBI Model System, 14(2):191

Memory

Headache level during neuropsychological testing and test performance in patients with chronic posttraumatic headache, Lake AE III, Branca B, Lutz TE, Saper JR, 14(1):70

Metabolic response

The metabolic response to acute traumatic brain injury and implications for nutritional support, Pepe JL, Barba CA, 14(5):462

Michigan TBI Implementation Project, 14(2):204

Mild head injury

Cognitive and behavioral outcome following mild traumatic head injury in children, Ponsford J, Willmott C, Rothwell A, Cameron P, Ayton G, Nelms R, Curran C, Ng KT, 14(4):360

Homeopathic treatment of mild traumatic brain injury: A randomized, double-blind, placebo-controlled clinical trial, Chapman EH, Weintraub RJ, Milburn MA, Pirozzi TO, Woo E, 14(6):521

Postconcussive symptoms in children with mild closed head injuries, Yeates KO, Luria J, Bartkowski H, Rusin J, Martin L, Bigler ED, 14(4):337

Sensitivity of three recent questionnaires to mild traumatic brain injury-related effects, Paniak C, Phillips K, Toller-Lobe G, Durand A, Nagy J, 14(3):211

Missouri Model Brain Injury System, 14(2):193

Mobility

A novel method for locomotion training, Seif-Naraghi AH, Herman RM, 14(2):146

An algorithm to assess stiff-legged gait in traumatic brain injury, Kerrigan DC, Bank M-S, Burke DT, 14(2):136

Improving calf muscle strength in patients with spastic equinovarus deformity by transfer of the long toe flexors to the os calcis, Keenan MAE, Lee GA, Tuckman AS, Esquenazi A, 14(2):163

Temporal-spatial feature of gait after traumatic brain injury, Ochi F, Esquenazi A, Hirai B, Talaty M, 14(2):105

The use of gait analysis for surgical recommendations in traumatic brain injury, Perry J, 14(2):116

Model system grants

Carolinas TBI Rehabilitation and Research System, 14(2):195

Georgia Model Brain Injury System (GAMBIS), 14(2):190

Mayo Foundation TBI Model System, 14(2):191

Missouri Model Brain Injury System, 14(2):193

Moss Rehabilitation Research Institute TBI Model System, 14(2):194

Northern New Jersey-Kessler Medical Rehabilitation Research and Education Corporation TBI Model Systems Project, 14(2):194

Oregon Health Sciences University TBI Model Systems Project, 14(2):196

Rocky Mountain Regional Traumatic Brain Injury System at Craig Hospital, 14(2):190

Santa Clara Valley Medical Center TBI Model Systems Project, 14(2):197

Spaulding/Partners TBI Model Systems Project at Harvard Medical School, 14(2):198

TBI Model System of Mississippi, 14(2):192

The Institute for Rehabilitation and Research TBI Model Systems Project, 14(2):199

The Ohio Regional TBI Model Systems Project, 14(2):196

University of Alabama at Birmingham TBI Care System, 14(2):189

University of Washington TBI Model Systems Project, 14(2):198

Virginia Commonwealth University TBI Model System, 14(2):192

Wayne State University/Rehabilitation Institute of Michigan, 14(2):200

Moss Rehabilitation Research Institute TBI Model System, 14(2):194

Muscle

Improving calf muscle strength in patients with spastic equinovarus deformity by transfer of the long toe flexors to the os calcis, Keenan MAE, Lee GA, Tuckman AS, Esquenazi A, 14(2):163

Muscle relaxants

Medical management of posttrumatic headaches: Pharmacological and physical treatment, Bell KR, Kraus EE, Zasler ND, 14(1):34

N

Narratives

Narratives in rehabilitation, True G, Phipps EJ, 14(5):505

Neurobehavioral outcome

Brain injury, cognitive impairment, and donepezil, Whitlock JA Jr, 14(4):424

Cognitive and behavioral outcome following mild traumatic head injury in children, Ponsford J, Willmott C, Rothwell A, Cameron P, Ayton G, Nelms R, Curran C, Ng KT, 14(4):360

Dysphagia after head trauma: The effect of cognitive-communicative impairments on functional outcomes, Halper AS, Cherney LR, Cichowski K, Zhang M, 14(5):486

Empirically supported psychological and behavioral therapies in pediatric rehabilitation of TBI, Warschausky S, Kewman D, Kay J, 14(4):373

Neuroimaging in pediatric traumatic head injury: Diagnostic considerations and relationships to neurobehavioral outcome, Bigler ED, 14(4):406

Neuropsychological impairments, vocational outcomes, and financial costs for individuals with traumatic brain injury receiving state vocational rehabilitation services, Johnstone B, Schopp LH, Harper J, Koscuilek, J, 14(3):220

Neuropsychological significance of anosmia following traumatic brain injury, Callahan CD, Hinkebein J, 14(6):581

Postconcussive symptoms in children with mild closed head injuries, Yeates KO, Luria J, Bartkowski H, Rusin J, Martin L, Bigler ED, 14(4):337

Posttraumatic headache: Neuropsychological and psychological effects and treatment implications, Martelli MF, Grayson RL, Zasler ND, 14(1):49

Prediction of neurobehavioral outcome 1–5 years post pediatric traumatic head injury, Woodward H, Winterhalther K, Donders J, Hackbarth R, Kuldanek A, Sanfilippo D, 14(4):351

Neuroimaging

Neuroimaging in pediatric traumatic head injury: Diagnostic considerations and relationships to neurobehavioral outcome, Bigler ED, 14(4):406

Neuroinformatics

Mapping variation in brain structure and function: Implications for rehabilitation, Hobbs A, 14(6):616

Neurolytic blocks

Management of spasticity in children: Part 1: Chemical denervation, Gormley ME Jr, 14(1):97

Neuropsychological testing

Headache level during neuropsychological testing and test performance in patients with chronic posttraumatic headache, Lake AE III, Branca B, Lutz TE, Saper JR, 14(1):70

Nonsteroidal antiinflammatory drugs

Medical management of posttraumatic headaches: Pharmacological and physical treatment, Bell KR, Kraus EE, Zasler ND, 14(1):34

Northern New Jersey-Kessler Medical Rehabilitation Research and Education Corporation TBI Model Systems Project, 14(2):194

Nutrition

The metabolic response to acute traumatic brain injury and implications for nutritional support, Pepe JL, Barba CA, 14(5):462

O

Ohio Implementation Project, 14(2):204

Operant treatment

Posttraumatic headache: Neuropsychological and psychological effects and treatment implications, Martelli MF, Grayson RL, Zasler ND, 14(1):49

Oregon Health Sciences University TBI Model Systems Project, 14(2):196

Oregon State TBI Implementation Project, 14(2):205

Outcome

Cognitive and behavioral outcome following mild traumatic head injury in children, Ponsford J, Willmott C, Rothwell A, Cameron P, Ayton G, Nelms R, Curran C, Ng KT, 14(4):360

Commentary: Cognitive rehabilitation outcomes, Kreutzer JS, 14(3):312

Dysphagia after head trauma: The effect of cognitive-communicative impairments on functional outcomes, Halper AS, Cherney LR, Cichowski K, Zhang M, 14(5):486

Effect of cognitive rehabilitation on outcomes for persons with traumatic brain injury: A systematic review, Carney N, Chesnut RM, Maynard H, Mann NC, Patterson P, Helfand M, 14(3):277, 322

Functional outcome of individuals with traumatic brain injury and lower extremity deep venous thrombosis, Wagner RH, Cifu DX, Keyser-Marcus L, 14(6):558

Impact of clinically significant heterotopic ossification on functional outcome after traumatic brain injury, Johns JS, Cifu DX, Keyser-Marcus L, Jolles PR, Fratkin MJ, 14(3):269

Measuring psychosocial recovery after traumatic brain injury: Psychometric properties of a new scale, Tate R, Hodgkinson A, Veerabangsa A, Maggiotto S, 14(6):543

Neuroimaging in pediatric traumatic head injury: Diagnostic considerations and relationships to neurobehavioral outcome, Bigler ED, 14(4):406

Neuropsychological impairments, vocational outcomes, and financial costs for individuals with traumatic brain injury receiving state vocational rehabilitation services, Johnstone B, Schopp LH, Harper J, Koscuilek, J, 14(3):220

Prediction of neurobehavioral outcome 1–5 years post pediatric traumatic head injury, Woodward H, Winterhalther K, Donders J, Hackbarth R, Kuldanek A, Sanfilippo D, 14(4):351

Sex offending as a psychosocial sequela of traumatic brain injury, Simpson G, Blaszczynski A, Hodgkinson A, 14(6):567

Summary report: Evidence for the effectiveness of rehabilitation for persons with traumatic brain injury, Chesnut RM, Carney N, Maynard H, Mann NC, Patterson P, Helfand M, 14(2):176

Utility of the Functional Assessment Measure after discharge from inpatient rehabilitation, Gurka JA, Felmingham KL, Baguley IJ, Schotte DE, Crooks J, Marosszeky JE, 14(3):247

P

Pain ***See also*** **Posttraumatic headache**

Interaction of posttraumatic stress disorder and chronic pain following traumatic brain injury, Bryant RA, Marosszeky JE, Crooks J, Baguley IJ, Gurka JA, 14(6):588

Medical management of posttraumatic headaches: Pharmacological and physical treatment, Bell KR, Kraus EE, Zasler ND, 14(1):34

Parent training

Empirically supported psychological and behavioral therapies in pediatric rehabilitation of TBI, Warschausky S, Kewman D, Kay J, 14(4):373

Pathophysiology

Epidemiology and pathogenesis of posttraumatic headache, Packard RC, 14(1):9

Pediatric head injury

Case studies in dysphagia after pediatric brain injury, Rowe LA, 14(5):497

Cognitive and behavioral outcome following mild traumatic head injury in children, Ponsford J, Willmott C, Rothwell A, Cameron P, Ayton G, Nelms R, Curran C, Ng KT, 14(4):360

Empirically supported psychological and behavioral therapies in pediatric rehabilitation of TBI, Warschausky S, Kewman D, Kay J, 14(4):373

Management of spasticity in children: Part 1: Chemical denervation, Gormley ME Jr, 14(1):97

Management of spasticity in children: Part 2: Oral medications and intrathecal baclofen, Gormley ME Jr, 14(2):207

Neuroimaging in pediatric traumatic head injury: Diagnostic considerations and relationships to neurobehavioral outcome, Bigler ED, 14(4):406

Pediatric family-centered rehabilitation, Hostler SL, 14(4):384

Postconcussive symptoms in children with mild closed head injuries, Yeates KO, Luria J, Bartkowski H, Rusin J, Martin L, Bigler ED, 14(4):337

Prediction of neurobehavioral outcome 1–5 years post pediatric traumatic head injury, Woodward H, Winterhalther K, Donders J, Hackbarth R, Kuldanek A, Sanfilippo D, 14(4):351

The Family Burden of Injury Interview: Reliability and validity studies, 14(4):394

Pharmacology

Brain injury, cognitive impairment, and donepezil, Whitlock JA Jr, 14(4):424

Management of spasticity in children: Part 1: Chemical denervation, Gormley ME Jr, 14(1):97

Management of spasticity in children: Part 2: Oral medications and intrathecal baclofen, Gormley ME Jr, 14(2):207

Medical management of posttraumatic headaches: Pharmacological and physical treatment, Bell KR, Kraus EE, Zasler ND, 14(1):34

Venous thrombosis in traumatic brain injury, Burke DT, 14(5):515

Phenol blocks

Management of spasticity in children: Part 1: Chemical denervation, Gormley ME Jr, 14(1):97

Pneumocephalus

Posttraumatic tension pneumocephalus, Zasler ND, 14(1):81

Pneumonia

Causes and complications associated with swallowing disorders in traumatic brain injury, Morgan AS, Mackay LE, 14(5):454

Posttraumatic headache

Clinical assessment of posttraumatic headaches, Zafonte RD, Horn LJ, 14(1):22

Epidemiology and pathogenesis of posttraumatic headache, Packard RC, 14(1):9

Headache level during neuropsychological testing and test performance in patients with chronic posttraumatic headache, Lake AE III, Branca B, Lutz TE, Saper JR, 14(1):70

Medical management of posttraumatic headaches: Pharmacological and physical treatment, Bell KR, Kraus EE, Zasler ND, 14(1):34

Posttraumatic headache: Caveats and controversies, Zasler ND, 14(1):1

Posttraumatic headache: Neuropsychological and psychological effects and treatment implications, Martelli MF, Grayson RL, Zasler ND, 14(1):49

Posttraumatic tension pneumocephalus, Zasler ND, 14(1):81

Posttraumatic stress disorder

Interaction of posttraumatic stress disorder and chronic pain following traumatic brain injury, Bryant RA, Marosszeky JE, Crooks J, Baguley IJ, Gurka JA, 14(6):588

Prevention

Traumatic brain injury in the United States: A public health perspective, Thurman DJ, Alverson C, Dunn KA, Guerrero J, Sniezek JE, 14(6):602

Problem Checklist

Sensitivity of three recent questionnaires to mild traumatic brain injury-related effects, Paniak C, Phillips K, Toller-Lobe G, Durand A, Nagy J, 14(3):211

Psychological interventions

Empirically supported psychological and behavioral therapies in pediatric rehabilitation of TBI, Warschausky S, Kewman D, Kay J, 14(4):373

Psychosocial outcome

Measuring psychosocial recovery after traumatic brain injury: Psychometric properties of a new scale, Tate R, Hodgkinson A, Veerabangsa A, Maggiotto S, 14(6):543

Sex offending as a psychosocial sequela of traumatic brain injury, Simpson G, Blaszczynski A, Hodgkinson A, 14(6):567

Public health

The Wireless Communications and Public Safety Act of 1998, Bérubé JE, 14(1):85

Traumatic brain injury in the United States: A public health perspective, Thurman DJ, Alverson C, Dunn KA, Guerrero J, Sniezek JE, 14(6):602

Pulmonary embolism

Venous thrombosis in traumatic brain injury, Burke DT, 14(5):515

Q

Questionnaires ***See*** **Assessment instruments**

R

Rehabilitation

Effect of cognitive rehabilitation on outcomes for persons with traumatic brain injury: A systematic review, Carney N, Chesnut RM, Maynard H, Mann NC, Patterson P, Helfand M, 14(3):277, 322

Empirically supported psychological and behavioral therapies in pediatric rehabilitation of TBI, Warschausky S, Kewman D, Kay J, 14(4):373

Mapping variation in brain structure and function: Implications for rehabilitation, Hobbs A, 14(6):616

Narratives in rehabilitation, True G, Phipps EJ, 14(5):505

Pediatric family-centered rehabilitation, Hostler SL, 14(4):384

Rehabilitation: A luxury?, Phipps EJ, Allman R, 14(3):329

Summary report: Evidence for the effectiveness of rehabilitation for persons with traumatic brain injury, Chesnut RM, Carney N, Maynard H, Mann NC, Patterson P, Helfand M, 14(2):176

The role of fiberoptic endoscopy in dysphagia rehabilitation, Hoppers P, Holm SE, 14(5):475

Utility of the Functional Assessment Measure after discharge from inpatient rehabilitation, Gurka JA, Felmingham KL, Baguley IJ, Schotte DE, Crooks J, Marosszeky JE, 14(3):247

Relaxation training

Posttraumatic headache: Neuropsychological and psychological effects and treatment implications, Martelli MF, Grayson RL, Zasler ND, 14(1):49

Rocky Mountain Regional Traumatic Brain Injury System at Craig Hospital, 14(2):190

S

Safety

The Wireless Communications and Public Safety Act of 1998, Bérubé JE, 14(1):85

Santa Clara Valley Medical Center TBI Model Systems Project, 14(2):197

Severe head injury

Factors affecting oral feeding with severe traumatic brain injury, Mackay LE, Morgan AS, Bernstein BA, 14(5):435

Sex offending

Sex offending as a psychosocial sequela of traumatic brain injury, Simpson G, Blaszczynski A, Hodgkinson A, 14(6):567

Short Form-36 Health Survey

Sensitivity of three recent questionnaires to mild traumatic brain injury-related effects, Paniak C, Phillips K, Toller-Lobe G, Durand A, Nagy J, 14(3):211

Social interventions

Empirically supported psychological and behavioral therapies in pediatric rehabilitation of TBI, Warschausky S, Kewman D, Kay J, 14(4):373

Software

Computerized assessment software update 1999, Lynch WJ, 14(3):325

Spasticity

Improving calf muscle strength in patients with spastic equinovarus deformity by transfer of the long toe flexors to the os calcis, Keenan MAE, Lee GA, Tuckman AS, Esquenazi A, 14(2):163

Management of spasticity in children: Part 1: Chemical denervation, Gormley ME Jr, 14(1):97

Management of spasticity in children: Part 2: Oral medications and intrathecal baclofen, Gormley ME Jr, 14(2):207

Spaulding/Partners TBI Model Systems Project at Harvard Medical School, 14(2):198

State demonstration grants

District of Columbia TBI Planning Project, 14(2):201

Georgia TBI Implementation Project, 14(2):202

Iowa TBI Implementation Project, 14(2):202

Maryland TBI Implementation Project, 14(2):203

Michigan TBI Implementation Project, 14(2):204

Ohio Implementation Project, 14(2):204

Oregon State TBI Implementation Project, 14(2):205

Virginia TBI Planning Grant, 14(2):206

Support groups

A multimodal support group with Hispanic traumatic brain injury survivors, Armengol, CG, 14(3):233

Distance education and caregiver support groups: Comparison of traditional and telephone groups, Brown R, Pain K, Berwald C, Hirschi P, Delehanty R, Miller H, 14(3):257

Surgery

Improving calf muscle strength in patients with spastic equinovarus deformity by transfer of the long toe flexors to the os calcis, Keenan MAE, Lee GA, Tuckman AS, Esquenazi A, 14(2):163

The use of gait analysis for surgical recommendations in traumatic brain injury, Perry J, 14(2):116

Surveillance

Traumatic brain injury in the United States: A public health perspective, Thurman DJ, Alverson C, Dunn KA, Guerrero J, Sniezek JE, 14(6):602

Swallowing disorders

Case studies in dysphagia after pediatric brain injury, Rowe LA, 14(5):497

Causes and complications associated with swallowing disorders in traumatic brain injury, Morgan AS, Mackay LE, 14(5):454

Dysphagia after head trauma: The effect of cognitive-communicative impairments on functional outcomes, Halper AS, Cherney LR, Cichowski K, Zhang M, 14(5):486

Factors affecting oral feeding with severe traumatic brain injury, Mackay LE, Morgan AS, Bernstein BA, 14(5):435

Fiberoptic endoscopic evaluation of swallowing in patients with acute traumatic brain injury, Leder SB, 14(5):448

The role of fiberoptic endoscopy in dysphagia rehabilitation, Hoppers P, Holm SE, 14(5):475

Sydney Psychosocial Reintegration Scale

Measuring psychosocial recovery after traumatic brain injury: Psychometric properties of a new scale, Tate R, Hodgkinson A, Veerabangsa A, Maggiotto S, 14(6):543

T

TBI Model System of Mississippi, 14(2):192

Technology

Computerized assessment software update 1999, Lynch WJ, 14(3):325

The Wireless Communications and Public Safety Act of 1998, Bérubé JE, 14(1):85

The Institute for Rehabilitation and Research TBI Model Systems Project, 14(2):199

The Ohio Regional TBI Model Systems Project, 14(2):196

Thrombosis

Functional outcome of individuals with traumatic brain injury and lower extremity deep venous thrombosis, Wagner RH, Cifu DX, Keyser-Marcus L, 14(6):558

Venous thrombosis in traumatic brain injury, Burke DT, 14(5):515

Tizanidine

Management of spasticity in children: Part 2: Oral medications and intrathecal baclofen, Gormley ME Jr, 14(2):207

Treadmill training

A novel method for locomotion training, Seif-Naraghi AH, Herman RM, 14(2):146

U

University of Alabama at Birmingham TBI Care System, 14(2):189

University of Washington TBI Model Systems Project, 14(2):198

Upper motor neuron syndrome

Improving calf muscle strength in patients with spastic equinovarus deformity by transfer of the long toe flexors to the os calcis, Keenan MAE, Lee GA, Tuckman AS, Esquenazi A, 14(2):163

V

Vasoactive medications

Medical management of posttraumatic headaches: Pharmacological and physical treatment, Bell KR, Kraus EE, Zasler ND, 14(1):34

Virginia Commonwealth University TBI Model System, 14(2):192

Virginia TBI Planning Grant, 14(2):206

Vocational rehabilitation

Neuropsychological impairments, vocational outcomes, and financial costs for individuals with traumatic brain injury receiving state vocational rehabilitation services, Johnstone B, Schopp LH, Harper J, Koscuilek, J, 14(3):220

Summary report: Evidence for the effectiveness of rehabilitation for persons with traumatic brain injury, Chesnut RM, Carney N, Maynard H, Mann NC, Patterson P, Helfand M, 14(2):176

W

Warfarin

Venous thrombosis in traumatic brain injury, Burke DT, 14(5):515

Wayne State University/Rehabilitation Institute of Michigan, 14(2):200